

## EU DECLARATION OF CONFORMITY

We: **Schneider Electric Industries SAS**  
**35 rue Joseph Monier**  
**92500 Rueil Malmaison - France**

Declare under our sole responsibility that the products

Trademark: **Pro-face**  
by Schneider Electric

Name: ST6000, STW6000, STC6000 Series

Type: Human Machine Interface

Models: PFXST6200WAD, PFXST6400WAD, PFXST6500WAD, PFXST6600WAD,  
PFXST6700WAD, PFXST6300TAD, PFXST6500TAD,  
PFXSTC6300TAD  
PFXSTW6200WAD, PFXSTW6400WAD, PFXSTW6500WAD, PFXSTW6600WAD,  
PFXSTW6700WAD

Includes models with additional alphanumeric characters at the end of the model number.  
See list of references and options next pages.

Are in conformity with the requirements of the following directives and conformity was checked in accordance with the following standards.

Directive	Harmonized standard / Notified body reference
EMC Directive 2014/30/EU	EN 61131-2:2007 ; EN 61000-6-4:2007/A1:2011 ; EN 61000-6-2:2005/AC:2005
WEEE Directive 2012/19/EU	

Subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions and to accepted rules of the art.  
This declaration becomes invalid in the case of any modification to the products not authorized by us.

The guides, user manuals and instructions are available at [www.pro-face.com](http://www.pro-face.com)


Issued at:  
F-06516 Carros

April 25th, 2023

Authorised Signatory (\*):

Name: Samuel MAREAU  
Digital Factory  
Manager Product Compliance & Certification

Signature:



(\* ) Name and title of the signatory empowered to bind the manufacturer or his authorized representative

**List of reference and options**

**ST6000 Seires**

Digit	1	2	3	4	5	6	7	8	9	10	11	12
	P	F	X	model		series	size	type		LCD	touch panel	input voltage
				ST		6	2: 4" 3: 5" 4: 7" 5: 10" 6: 12" 7: 15"	00: (Reserved)		W: Wide TFT T: 4:3 TFT	A: Analog	D: DC

**STW6000 Seires**

Digit	1	2	3	4	5	6	7	8	9	10	11	12	13
	P	F	X	model		series	size	type		LCD	touch panel	input voltage	
				STW		6	2: 4" 4: 7" 5: 10" 6: 12" 7: 15"	00: (Reserved)		W: Wide TFT	A: Analog	D: DC	

**STC6000 Seires**

Digit	1	2	3	4	5	6	7	8	9	10	11	12	13	14 and later
	P	F	X	model		series	size	type		LCD	touch panel	input voltage	Others	
				STC		6	3: 5"	00: (Reserved)		T: 4:3 TFT	A: Analog	D: DC	DK: DIO Sink DC: DIO Souce	

**Accessories**

Product Number	Product Name
<b>Serial Interface</b>	
PFXZCBADTM1	RS-422 Terminal Block Conversion Adapter
CA3-ISO232-01	RS-232C Isolation Unit
CA3-ADPCOM-01	COM Port Conversion Adapter
CA3-ADPTRM-01	Terminal Block Conversion Adapter
<b>USB (Type A) Interface</b>	
FP-US00	USB Cable (5 m)
CA5-USBEXT-01	USB Front Cable (1 m)
PFXZCBCLUSA1	USB Clamp Type A
CA6-USB232-01	USB-Serial (RS-232C) Conversion Cable (0.5 m)
PFXZCBCBCVUSR41	USB/RS-422/485 Conversion Adapter
<b>USB (microB) Interface</b>	
PFXZUSCBMB2	USB Transfer Cable
PFXZCIEXMB2	USB (mico-B) Front Cable
<b>SD card</b>	
PFXZCBSD4GC41	SD Memory Card (4GB) for ST6500TAD only

**Maintenance Accessories**

Product Number	Product Name
<b>Others</b>	
CA5-DCCNM-01	DC Power Supply Connector
PFXZGEBT1	Battery for Data Backup
PFXZC7CNXY321	DIO Connector for STC6000 only

Relevant documents

Reference	Designation
ST6000-MM01	ST-6000WA Series Hardware Manual
PHA30231	ST-6000WA Series Installation Guide
STW6000-MM1	STW-6000WA Series Hardware Manual
MFR22911	STW-6000WA Series Installation Guide
JYT84249	ST-6000TA Series Installation Guide
STC6000-MM01	STC6000 Series Hardware Manual
PKR16513	STC6000 Series Installation Guide
MFR3312000	Product Test Synthesis PTS_HMI_Aurora
GEX7202500	Product Test Synthesis PTS_Aurora_Raikou

End