

NRAG.E210412 - PROGRAMMABLE CONTROLLERS FOR USE IN HAZARDOUS LOCATIONS

Programmable Controllers for Use in Hazardous Locations

See General Information for Programmable Controllers for Use in Hazardous Locations

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

E210412

2-15-6, SHIBAURA
MINATO-KU, TKY 108-0023 JAPAN

Trademark and/or Tradename:   

Accessory box units, open-type, Model(s) PFXSP5B10#, PFXSP5B40#, PFXSP5B41#

Accessory CANopen Master Unit, Open-type, Model(s) PFXZCHEUCAM1#

Accessory CANopen Slave Unit, Open-type, Model(s) PFXZCDEUCA1#

Accessory FLEX NETWORK Master Unit, Open-type, Model(s) PFXZCHEUFN1#

Accessory Multi Display Adaptor, Open-type, Model(s) PFXZCDADEXR1#

Accessory Profibus Unit, Open-type, Model(s) PFXZCDEUPF1#

Class I, Division 2, Groups A, B, C and D, Accessory CANopen units, for use with Graphic Display Models 3481401-01, 3481401-02, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, Model(s) 3610007-01

Class I, Division 2, Groups A, B, C and D, Accessory enclosure kits, Model(s) PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCDCVUS1

Class I, Division 2, Groups A, B, C and D, Accessory environment covers, Model(s) PFXZCDOP101, PFXZCDOP121, PFXZCDOP151

Class I, Division 2, Groups A, B, C and D, Accessory extension communication cables, Model(s) PFXZXMADSM31, PFXZXMADSM51

Class I, Division 2, Groups A, B, C and D, Analog modules, Model(s) EXM-AMI4LT, EXM-ARI8LT, EXM-AVO2HT

Class I, Division 2, Groups A, B, C and D, Battery control modules, Model(s) PFXZPBUIUPM1

Class I, Division 2, Groups A, B, C and D, Battery housings, Model(s) PFXZPSEUUPB1

Class I, Division 2, Groups A, B, C and D, Built-in computer and front display units, Model(s) 3582302-01 and 3582302-11, for use with 3620003-01, 3620003-02, 3620003-03, 3620003-04 and 3620003-05 front display units models 3620003-01, 3620003-02, 3620003-03, 3620003-04 and 3620003-05, provide non-incendive field wirings to Class I, Division 2, Groups A, B, C and D Hazardous Locations in accordance with installation drawing 35016429.

Class I, Division 2, Groups A, B, C and D, Bus modules with PCI or PCIe bus, Model(s) PFXZPSEUPCI11, PFXZPSEUPCI21, PFXZPSEUPCIA1, PFXZPSEUPCIC1

Class I, Division 2, Groups A, B, C and D, CFast adapters, Model(s) PFXZPSSCAD2

Class I, Division 2, Groups A, B, C and D, CFast memory, Model(s) PFXZCDSCCFax(x)1 (b)

Class I, Division 2, Groups A, B, C and D, Class II, Division 2, Groups F and G, Class III, Accessory Box Unit, Open-Type, Model(s) HMIG2U#, PFXSP5B00#

Class I, Division 2, Groups A, B, C and D, Class II, Division 2, Groups F and G, Class III, Human Machine Interface, Open-Type, Model(s) PFXSP5600TAD#

Class I, Division 2, Groups A, B, C and D, Color graphic panels, Model(s) 3280024-02, 3280024-04, 3280024-06, 3280024-12, 3280024-14, 3280024-16, 3280024-22, 3280024-24, 3280035-41, 3280035-51, 3280035-71, 3481401-01, 3481401-02, 3482001-51, 3482001-52, 3482001-55, 3482001-61, 3482001-65, 3482001-75, 3581301-02, 3581301-04, 3581902-33, 3581902-51

Class I, Division 2, Groups A, B, C and D, Connecting cables, Model(s) PFXZPSCBUP3, PFXZPSCBUP32

Class I, Division 2, Groups A, B, C and D, Display Adapter (Human-Machine Interfaces), Model(s) PFXPA2xxxAXxxxxxxx Where "x" may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components.

Class I, Division 2, Groups A, B, C and D, Display Adapter (Human-Machine Interfaces), Model(s) PFXPA2xxxDXxxxxxxx Where "x" may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components.

Class I, Division 2, Groups A, B, C and D, Display Adapter (Human-Machine Interfaces), Model(s) PFXZPPDADDP2xxxxxx Where "x" may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components.

Class I, Division 2, Groups A, B, C and D, DVD roms, Model(s) PFXZPSSSMD1

Class I, Division 2, Groups A, B, C and D, Fan kits, Model(s) PFXZPB1IUFAN1, PFXZPB2IUFAN1, PFXZPB5IUFAN1, PFXZPP0IUFAN1, PFXZPP1IUFAN2, PFXZPP2IUFAN1, PFXZPP2IUFAN2

Class I, Division 2, Groups A, B, C and D, Filter modules, Model(s) PFXXM4200TP, PFXXM4300TP, PFXZFTPNDC1

Class I, Division 2, Groups A, B, C and D, Flat panel displays, Model(s) 3580406-11, USB port in the front of the flat panel display, provides non-incendive field wirings to Class I, Division 2, Groups A, B, C and D Hazardous Locations when connected in accordance with installation drawing 35016429.

Class I, Division 2, Groups A, B, C and D, Flat panel displays, Model(s) 3582701-01, USB port in the front of the flat panel display provides non-incendive field wirings to Class I, Division 2, Groups A, B, C and D Hazardous Locations when connected in accordance with installation drawing 35016429.

Class I, Division 2, Groups A, B, C and D, Flat panel displays, provides non-incendive field wiring to Class I, Division 2, Groups A, B, C and D; Hazardous Locations in accordance with installation drawing 35016429, Model(s) 3620004-01

Class I, Division 2, Groups A, B, C and D, Front panel mounted programmable controller assemblies, Model(s) PFXPF16xxxxxxxxxxx (b), PFXPP16xxxxxxxxxxx (b)

Class I, Division 2, Groups A, B, C and D, Graphic displays, Model(s) PFXGP4201TAD*, PFXGP4201TADW*, PFXGP4203TAD*, PFXGP4301TAD*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*, PFXGP4401TAD*, PFXGP4401WADW*, PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4503TAD*, PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*

Class I, Division 2, Groups A, B, C and D, Hard disk drives, Model(s) PFXZPSSCHDDxx2 (b)

Class I, Division 2, Groups A, B, C and D, Human machine interfaces, Model(s) PFXGP4311KTAD, PFXGP4511KTAD

Class I, Division 2, Groups A, B, C and D, Illuminated switch units, Model(s) PFXZCCEUSG1

Class I, Division 2, Groups A, B, C and D, Industrial Box PC and displays, Model(s) PFXPU2, PFXPP2, followed by 12 letters or numbers.

Class I, Division 2, Groups A, B, C and D, Interface boards, Model(s) PFXZPBIUCMR41, PFXZPSIUDV1

Class I, Division 2, Groups A, B, C and D, Interface boards with battery control module, Model(s) PFXZPSIUUPM2

Class I, Division 2, Groups A, B, C and D, Interface boards with RS485 bus, Model(s) PFXZPSIUCMR42

Class I, Division 2, Groups A, B, C and D, Interface boards with SRAM, Model(s) PFXZPSIUSR2

Class I, Division 2, Groups A, B, C and D, Memory modules, Model(s) PFXZPSD3x1

Class I, Division 2, Groups A, B, C and D, Monochrome graphic panels, Model(s) 3280024-32, 3280024-34, 3581902-12

Class I, Division 2, Groups A, B, C and D, Numpad units, Model(s) PFXZCCEUKB1

Class I, Division 2, Groups A, B, C and D, Open-type graphic displays, Model(s) 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, 3680701-01, 3680701-02, 3680701-03

Class I, Division 2, Groups A, B, C and D, Open-type graphic panels, Model(s) 3910017-01, 3910017-02, 3910017-03, 3910017-04, 3910017-05, 3910017-06, 3910017-07, 3910017-08, 3910017-11, 3910017-12

Class I, Division 2, Groups A, B, C and D, Open-type human machine interfaces, Model(s) PFXGP4114T*D# (a), PFXGP4115T*D# (a), PFXGP4116T*D# (a)

Class I, Division 2, Groups A, B, C and D, Panel computers, provide non-incendive field wirings to Class I, Division 2, Groups A, B, C and D; Hazardous Locations in accordance with installation drawing 35016429, Model(s) 3580301-01, 3580301-02, 3580301-03, 3580301-11, 3580301-12, 3580301-13

Class I, Division 2, Groups A, B, C and D, Power supply & connectors, Model(s) PFXZPSPUAC1

Class I, Division 2, Groups A, B, C and D, Power supply connectors, Model(s) PFXZPSCNAC2

Class I, Division 2, Groups A, B, C and D, Programmable controller assemblies, Model(s) FXPx181C (e), PFXPB1B1B (d), PFXPB1B1C (d), PFXPB1B2B (d), PFXPB1B2C (d), PFXPB1B5B (d), PFXPB1B5C (d), PFXPB1BAB (d), PFXPB1BAC (d), PFXPB1BBB (d), PFXPB1BBC (d)

Class I, Division 2, Groups A, B, C and D, Programmable controller assemblies, Model(s) PFXPx170Axxxx0, followed by 4 letters or numbers, x = any letters or number.

Class I, Division 2, Groups A, B, C and D, Programmable controller assemblies, Model(s) PFXPx170B (e), PFXPx170C (e), PFXPx171B (e), PFXPx171C (e), PFXPx172B (e), PFXPx172C (e), PFXPx17AB (e), PFXPx17AC (e), PFXPx180B (e), PFXPx180C (e), PFXPx181B (e), PFXPx182B (e), PFXPx182C (e), PFXPx18AB (e), PFXPx18AC (e)

Class I, Division 2, Groups A, B, C and D, Programmable Controllers for Use in HazLoc, "SP5000 Series", Model(s) HMIZXJ19#, PFXSP5490WAD#, PFXSP5690WAD#, PFXSP5B90#, PFXZCHEUJ1#

Class I, Division 2, Groups A, B, C and D, Programmable Controllers for Use in HazLoc, "SP5000X Series", Model(s) HMIDT35X#, HMIDT65X#, HMIG3X#

Class I, Division 2, Groups A, B, C and D, Programmable controllers, for use in Class I, Division 2, Groups A, B, C, D Hazardous (Classified) Locations, Model(s) EXM Series

Class I, Division 2, Groups A, B, C and D, Rear modules HMI, Model(s) GP-4000M, PFXGM4B01D

Class I, Division 2, Groups A, B, C and D, Retaining clips, Model(s) PFXZPPAF10P2

Class I, Division 2, Groups A, B, C and D, Slide-in compact adapters, Model(s) PFXZPSSSAD2

Class I, Division 2, Groups A, B, C and D, Slide-in DVDs, Model(s) PFXZPSSSMD2

Class I, Division 2, Groups A, B, C and D, Small controllers universal, Model(s) PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADAC, PFXLM4301TADAK, PFXLM4301TADDC, PFXLM4301TADDK, PFXLM4B01DAC, PFXLM4B01DAK, PFXLM4B01DDC, PFXLM4B01DDK

Class I, Division 2, Groups A, B, C and D, Small terminal series magelis, Model(s) PFXGM4201TAD, PFXGM4301TAD

Class I, Division 2, Groups A, B, C and D, Solid state drives, Model(s) PFXZPSSCSDx(x)2 (b)

Class I, Division 2, Groups A, B, C and D, Spare filters, Model(s) PFXZPP1FTFAN2, PFXZPP2FTFAN2

Class I, Division 2, Groups A, B, C and D, Touch Panel Computer with Display, Model(s) PFXPL2axxbxxxxxxxxx, Where the a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, "-" or blank

Class I, Division 2, Groups A, B, C and D, Touch Panel Computer with Display, Model(s) PFXPP2axxbxxxxxxxxx, Where the a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, "-" or blank

Class I, Division 2, Groups A, B, C and D, Touch Panel Computer with Display, Model(s) PFXPU2axxbxxxxxxxxx, Where the a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, "-" or blank

Class I, Division 2, Groups A, B, C and D, UPS battery units, Model(s) PFXZPSEUUPB2

Class I, Division 2, Groups A, B, C and D, Video mix units, Model(s) 3610001, 3710008-01, 3710013-01

DC Power Supply Adaptor, Model(s) PFXZCDADEXP1#

EZ LAN Adapter, Model(s) PFXZCGEUUE1

Flat Panel Interface, FP5000 series, Model(s) PFXFP5600TPD#, PFXFP5660TPD#, PFXFP5700TPD#

Human Machine Interface, SP5000 series, Model(s) PFXSP5400WAD#, PFXSP5500TPD#, PFXSP5500WAD#, PFXSP5600TPD#, PFXSP5600WAD#, PFXSP5660TPD#, PFXSP5700TPD#, PFXSP5700WCD#, PFXSP5800WCD#

Industrial Box PC and displays, Model(s) PFXPP2 followed by 12 letters or numbers., PFXPU2 followed by 12 letters or numbers.

Programmable controller assemblies, Model(s) PFXPx170Axxxx0 followed by 4 letters or numbers, x = any letters or number.

Programmable controllers, Model(s) PFXGM4201TAD, Programmable Controllers, PFXGM4301TAD, Programmable Controllers

(a) - Where * may be any letter or number, # may be any one to three alphanumeric digits.

(b) - Where x = any letters or number.

(d) - Followed by 9 letters or numbers.

(e) - Followed by 9 letters or numbers, where x is any letters or number.

* - May be followed by any letter or number.

Last Updated on 2019-02-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

NRAG7.E210412 - PROGRAMMABLE CONTROLLERS FOR USE IN HAZARDOUS LOCATIONS CERTIFIED FOR CANADA

Programmable Controllers for Use in Hazardous Locations Certified for Canada

See General Information for Programmable Controllers for Use in Hazardous Locations Certified for Canada

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

E210412

2-15-6, SHIBAURA

MINATO-KU, TKY 108-0023 JAPAN

Accessory box units, open-type, Model(s) *PFXSP5B10#, PFXSP5B40#, PFXSP5B41#*

Accessory CANopen Master Unit, Open-type, Model(s) *PFXZCHEUCAM1#*

Accessory CANopen Slave Unit, Open-type, Model(s) *PFXZCDEUCA1#*

Accessory FLEX NETWORK Master Unit, Open-type, Model(s) *PFXZCHEUFN1#*

Accessory Multi Display Adaptor, Open-type, Model(s) *PFXZCDADEXR1#*

Accessory Profibus Unit, Open-type, Model(s) *PFXZCDEUPF1#*

Class I, Division 2, Groups A, B, C and D, Accessory CANOpen units, for use with Graphic Display Models 3481401-01, 3481401-02, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, Model(s) *3610007-01*

Class I, Division 2, Groups A, B, C and D, Accessory enclosure kits, Model(s) *PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCDCVUS1*

Class I, Division 2, Groups A, B, C and D, Accessory environment covers, Model(s) *PFXZCDOP101, PFXZCDOP121, PFXZCDOP151*

Class I, Division 2, Groups A, B, C and D, Accessory extension communication cables, Model(s) *PFXZXMADSM31, PFXZXMADSM51*

Class I, Division 2, Groups A, B, C and D, Analog modules, Model(s) *EXM-AMI4LT, EXM-ARI8LT, EXM-AVO2HT*

Class I, Division 2, Groups A, B, C and D, Battery control modules, Model(s) *PFXZPBUIUPM1*

Class I, Division 2, Groups A, B, C and D, Battery housings, Model(s) *PFXZPSEUUPB1*

Class I, Division 2, Groups A, B, C and D, Built-in computer and front display units, Model(s) *3582302-01 and 3582302-11, for use with 3620003-01, 3620003-02, 3620003-03, 3620003-04 and 3620003-05 front display units models 3620003-01, 3620003-02, 3620003-03, 3620003-04 and 3620003-05, provide non-incendive field wirings to Class I, Division 2, Groups A, B, C and D Hazardous Locations in accordance with installation drawing 35016429.*

Class I, Division 2, Groups A, B, C and D, Bus modules with PCI or PCIe bus, Model(s) *PFXZPSEUPCI11, PFXZPSEUPCI21, PFXZPSEUPCIA1, PFXZPSEUPCIC1*

Class I, Division 2, Groups A, B, C and D, CFast adapters, Model(s) *PFXZPSSCAD2*

Class I, Division 2, Groups A, B, C and D, CFast memory, Model(s) *PFXZCDSCCFAX(x)1 (b)*

Class I, Division 2, Groups A, B, C and D, Class II, Division 2, Groups F and G, Class III, Accessory Box Unit, Open-Type, Model(s) *HMIG2U#, PFXSP5B00#*

Class I, Division 2, Groups A, B, C and D, Class II, Division 2, Groups F and G, Class III, Human Machine Interface, Open-Type, Model(s) *PFXSP5600TAD#*

Class I, Division 2, Groups A, B, C and D, Color graphic panels, Model(s) *3280024-02, 3280024-04, 3280024-06, 3280024-12, 3280024-14, 3280024-16, 3280024-22, 3280024-24, 3280035-41, 3280035-51, 3280035-71, 3481401-01, 3481401-02, 3482001-51, 3482001-52, 3482001-55, 3482001-61, 3482001-65, 3482001-75, 3581301-02, 3581301-04, 3581902-33, 3581902-51*

Class I, Division 2, Groups A, B, C and D, Connecting cables, Model(s) *PFXZPSCBUP3, PFXZPSCBUP32*

Class I, Division 2, Groups A, B, C and D, Display Adapter (Human-Machine Interfaces), Model(s) PFXPA2xxxAxxxxxxx Where "x" may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components.

Class I, Division 2, Groups A, B, C and D, Display Adapter (Human-Machine Interfaces), Model(s) PFXPA2xxxDxxxxxxx Where "x" may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components.

Class I, Division 2, Groups A, B, C and D, Display Adapter (Human-Machine Interfaces), Model(s) PFXZPPDADDP2xxxxx Where "x" may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components.

Class I, Division 2, Groups A, B, C and D, DVD roms, Model(s) PFXZPSSSMD1

Class I, Division 2, Groups A, B, C and D, Fan kits, Model(s) PFXZPB1IUFAN1, PFXZPB2IUFAN1, PFXZPB5IUFAN1, PFXZPP0IUFAN1, PFXZPP1IUFAN2, PFXZPP2IUFAN1, PFXZPP2IUFAN2

Class I, Division 2, Groups A, B, C and D, Filter modules, Model(s) PFXXM4200TP, PFXXM4300TP, PFXZFTPNDC1

Class I, Division 2, Groups A, B, C and D, Flat panel displays, Model(s) 3580406-11, USB port in the front of the flat panel display, provides non-incendive field wirings to Class I, Division 2, Groups A, B, C and D Hazardous Locations when connected in accordance with installation drawing 35016429.

Class I, Division 2, Groups A, B, C and D, Flat panel displays, Model(s) 3582701-01, USB port in the front of the flat panel display provides non-incendive field wirings to Class I, Division 2, Groups A, B, C and D Hazardous Locations when connected in accordance with installation drawing 35016429.

Class I, Division 2, Groups A, B, C and D, Flat panel displays, provides non-incendive field wiring to Class I, Division 2, Groups A, B, C and D; Hazardous Locations in accordance with installation drawing 35016429, Model(s) 3620004-01

Class I, Division 2, Groups A, B, C and D, Front panel mounted programmable controller assemblies, Model(s) PFXPF16xxxxxxxxxx (b), PFXPP16xxxxxxxxxx (b)

Class I, Division 2, Groups A, B, C and D, Graphic displays, Model(s) PFXGP4201TAD*, PFXGP4201TADW*, PFXGP4203TAD*, PFXGP4301TAD*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*, PFXGP4401TAD*, PFXGP4401WADW*, PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4503TAD*, PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*

Class I, Division 2, Groups A, B, C and D, Hard disk drives, Model(s) PFXZPSSCHDDxx2 (b)

Class I, Division 2, Groups A, B, C and D, Human machine interfaces, Model(s) PFXGP4311KTAD, PFXGP4511KTAD

Class I, Division 2, Groups A, B, C and D, Illuminated switch units, Model(s) PFXZCCEUSG1

Class I, Division 2, Groups A, B, C and D, Industrial Box PC and displays, Model(s) PFXPU2, PFXPP2, followed by 12 letters or numbers.

Class I, Division 2, Groups A, B, C and D, Interface boards, Model(s) PFXZPBIUCMR41, PFXZPSIUDV1

Class I, Division 2, Groups A, B, C and D, Interface boards with battery control module, Model(s) PFXZPSIUUPM2

Class I, Division 2, Groups A, B, C and D, Interface boards with RS485 bus, Model(s) PFXZPSIUCMR42

Class I, Division 2, Groups A, B, C and D, Interface boards with SRAM, Model(s) PFXZPSIUSR2

Class I, Division 2, Groups A, B, C and D, Memory modules, Model(s) PFXZPSD3x1

Class I, Division 2, Groups A, B, C and D, Monochrome graphic panels, Model(s) 3280024-32, 3280024-34, 3581902-12

Class I, Division 2, Groups A, B, C and D, Numpad units, Model(s) PFXZCCEUKB1

Class I, Division 2, Groups A, B, C and D, Open-type graphic displays, Model(s) 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, 3680701-01, 3680701-02, 3680701-03

Class I, Division 2, Groups A, B, C and D, Open-type graphic panels, Model(s) 3910017-01, 3910017-02, 3910017-03, 3910017-04, 3910017-05, 3910017-06, 3910017-07, 3910017-08, 3910017-11, 3910017-12

Class I, Division 2, Groups A, B, C and D, Open-type human machine interfaces, Model(s) PFXGP4114T*D# (a), PFXGP4115T*D# (a), PFXGP4116T*D# (a)

Class I, Division 2, Groups A, B, C and D, Panel computers, provide non-incendive field wirings to Class I, Division 2, Groups A, B, C and D; Hazardous Locations in accordance with installation drawing 35016429, Model(s) 3580301-01, 3580301-02, 3580301-03, 3580301-11, 3580301-12, 3580301-13

Class I, Division 2, Groups A, B, C and D, Power supply & connectors, Model(s) PFXZPSPUAC1

Class I, Division 2, Groups A, B, C and D, Power supply connectors, Model(s) PFXZPSCNAC2

Class I, Division 2, Groups A, B, C and D, Programmable controller assemblies, Model(s) FXPx181C (e), PFXPB1B1B (d), PFXPB1B1C (d), PFXPB1B2B (d), PFXPB1B2C (d), PFXPB1B5B (d), PFXPB1B5C (d), PFXPB1BAB (d), PFXPB1BAC (d), PFXPB1BBB (d), PFXPB1BBC (d)

Class I, Division 2, Groups A, B, C and D, Programmable controller assemblies, Model(s) PFXPx170Axxxx0, followed by 4 letters or numbers, x = any letters or number.

Class I, Division 2, Groups A, B, C and D, Programmable controller assemblies, Model(s) PFXPx170B (e), PFXPx170C (e), PFXPx171B (e), PFXPx171C (e), PFXPx172B (e), PFXPx172C (e), PFXPx17AB (e), PFXPx17AC (e), PFXPx180B (e), PFXPx180C (e), PFXPx181B (e), PFXPx182B (e), PFXPx182C (e), PFXPx18AB (e), PFXPx18AC (e)

Class I, Division 2, Groups A, B, C and D, Programmable controllers advantys OTB (Optimized Terminal Block), Model(s) HTB1C0DM9LP

Class I, Division 2, Groups A, B, C and D, Programmable Controllers for Use in HazLoc, "SP5000 Series", Model(s) HMIZXJ19#, PFXSP5490WAD#, PFXSP5690WAD#, PFXSP5B90#, PFXZCHEUJ1#

Class I, Division 2, Groups A, B, C and D, Programmable Controllers for Use in HazLoc, "SP5000X Series", Model(s) HMIDT35X#, HMIDT65X#, HMIG3X#

Class I, Division 2, Groups A, B, C and D, Programmable controllers, for use in Class I, Division 2, Groups A, B, C, D Hazardous (Classified) Locations, Model(s) EXM Series

Class I, Division 2, Groups A, B, C and D, Programmable logic controllers, Model(s) EXM-AMM6HT

Class I, Division 2, Groups A, B, C and D, Rear modules HMI, Model(s) GP-4000M, PFXGM4B01D

Class I, Division 2, Groups A, B, C and D, Retaining clips, Model(s) PFXZPPAF10P2

Class I, Division 2, Groups A, B, C and D, Slide-in compact adapters, Model(s) PFXZPSSSAD2

Class I, Division 2, Groups A, B, C and D, Slide-in DVDs, Model(s) PFXZPSSSMD2

Class I, Division 2, Groups A, B, C and D, Small controllers universal, Model(s) PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADAC, PFXLM4301TADAK, PFXLM4301TADDC, PFXLM4301TADDK, PFXLM4B01DAC, PFXLM4B01DAK, PFXLM4B01DDC, PFXLM4B01DDK

Class I, Division 2, Groups A, B, C and D, Small terminal series magelis, Model(s) PFXGM4201TAD, PFXGM4301TAD

Class I, Division 2, Groups A, B, C and D, Solid state drives, Model(s) PFXZPSSCSDx(x)2 (b)

Class I, Division 2, Groups A, B, C and D, Spare filters, Model(s) PFXZPP1FTFAN2, PFXZPP2FTFAN2

Class I, Division 2, Groups A, B, C and D, Touch Panel Computer with Display, Model(s) PFXPL2axxbxxxxxxxxx, Where the a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, "-" or blank

Class I, Division 2, Groups A, B, C and D, Touch Panel Computer with Display, Model(s) PFXPP2axxbxxxxxxxxx, Where the a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, "-" or blank

Class I, Division 2, Groups A, B, C and D, Touch Panel Computer with Display, Model(s) PFXPU2axxbxxxxxxxxx, Where the a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, "-" or blank

Class I, Division 2, Groups A, B, C and D, UPS battery units, Model(s) PFXZPSEUUPB2

Class I, Division 2, Groups A, B, C and D, Video mix units, Model(s) 3610001, 3710008-01, 3710013-01

DC Power Supply Adaptor, Model(s) PFXZCDADEXP1#

EZ LAN Adapter, Model(s) PFXZCGEUUE1

Flat Panel Interface, FP5000 series, Model(s) PFXFP5600TPD#, PFXFP5660TPD#, PFXFP5700TPD#

Human Machine Interface, SP5000 series, Model(s) PFXSP5400WAD#, PFXSP5500TPD#, PFXSP5500WAD#, PFXSP5600TPD#, PFXSP5600WAD#, PFXSP5660TPD#, PFXSP5700TPD#, PFXSP5700WCD#, PFXSP5800WCD#

Industrial Box PC and displays, Model(s) PFXPP2 followed by 12 letters or numbers., PFXPU2 followed by 12 letters or numbers.

Programmable controller assemblies, Model(s) PFXPx170Axxxx0 followed by 4 letters or numbers, x = any letters or number.

Programmable controllers, Model(s) PFXGM4201TAD, Programmable Controllers, PFXGM4301TAD, Programmable Controllers

(a) - Where * may be any letter or number, # may be any one to three alphanumeric digits.

(b) - Where x = any letters or number.

(d) - Followed by 9 letters or numbers.

(e) - Followed by 9 letters or numbers, where x is any letters or number.

* - May be followed by any letter or number.

Trademark and/or Tradename:  Pro-face Schneider Electric Pro-face

Last Updated on 2019-02-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"