

NRAQ.E220851 - PROGRAMMABLE CONTROLLERS

Programmable Controllers

See General Information for Programmable Controllers

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

E220851

2-15-6, SHIBAURA
MINATO-KU, TKY 108-0023 JAPAN

Trademark and/or Tradename: 

Investigated to ANSI/UL 508

Accessories, 12" LCD front display + keypad units Model(s) 3620003-04

Accessories, 12" LCD front display units Model(s) 3620003-01

Accessories, 15" LCD front display + keypad units Model(s) 3620003-05

Accessories, 15" LCD front display units Model(s) 3620003-02

Accessories, 19" LCD front display units Model(s) 3620003-03

Accessory Box Unit Model(s) PFXSP5B10 *May be followed by any letter(s) and/or number(s)*

PFXSP5B10#

PFXSP5B40 *May be followed by any letter(s) and/or number(s)*

PFXSP5B40#

Accessory CANopen Slave Unit, open type Model(s) PFXZCDEUCA1 *May be followed by any letter(s) and/or number(s)*

PFXZCDEUCA1#

Accessory Multi Display Adapter, open type Model(s) PFXZCDADEXR1 *May be followed by any letter(s) and/or number(s)*

PFXZCDADEXR1#

Accessory CANOpen units Model(s) 3610007-01

Accessory conversion adapters, open-type Model(s) PFXZCBCBCVUSR41

Accessory enclosure kits Model(s) PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCDEVUS1

Accessory Open type Environment Covers Model(s) PFXZCDOP101, PFXZCDOP121, PFXZCDOP151

Accessory Profibus Unit, open type, Model(s) PFXZCDEUPF1 *May be followed by any letter(s) and/or number(s)*

Accessory Profibus Unit, open type, Model(s) PFXZCDEUPF1#

Adapters Model(s) 3610006-01, 3610006-02

Analog I/O modules Model(s) EXM-AMM6HT

Analog input modules Model(s) EXM-AMI4LT, EXM-ARI8LT, EXM-AVO2HT

Box computers Model(s) 3681601-01, 3681601-03, 3681601-11, 3681601-12, 3681601-13

Built-in computers, open type Model(s) 3582302-01, 3582302-11

CAN units Model(s) 3710014-01

CC-link interface units Model(s) 3680301

Color graphic panel displays Model(s) 3280024-02, 3280024-04, 3280024-06, 3280024-12, 3280024-14, 3280024-16, 3280024-22, 3280024-24, 3280035-01, 3280035-02, 3280035-11, 3280035-12, 3280035-31, 3280035-41, 3280035-51, 3280035-71, 3384001-12, 3482001-41, 3482001-42, 3482001-45, 3482001-51, 3482001-52, 3482001-55, 3482001-61, 3482001-65, 3482001-75, 3581301-02, 3581301-04, 3910018-01

Color graphic panels Model(s) 3280007-01, 3280007-02, 3280007-11, 3280007-12, 3280007-21, 3280007-22, 3410004-01, 3481701-22, 3481701-33

Compact iPCs-P4 Model(s) 3180046-xx

Compact iPCs-Via Eden Model(s) 3280015-xx

Compact iPCs-Via Eden Slim Type Model(s) 3280022-xx

Controllers Model(s) 3180048-01, 3180048-02

Data converters Model(s) 3080034-01

DC Power Supply Adapter, open type Model(s) PFXZCDAEXP1 May be followed by any letter(s) and/or number(s)

PFXZCDAEXP1#

DeviceNet interface units Model(s) 3580801

Display units Model(s) 3180040-01

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTAD may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADEGK may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADER may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADERK may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADEYK may be followed by any one to three letter(s) and/or number(s)

Flat panel displays Model(s) 3580403-02, 3580404-02, 3580406-01, 3580406-11, 3582701-01

Flat panel displays with keypads, open-type Model(s) 3620004-01

Flex network I/O units Model(s) 3080039-01, 3080039-02, 3080039-03, 3080057-01, 3080057-02, 3380701-01, 3380701-02

FP5000 Series Flat Panel Interface Model(s) PFXFP5600TPD May be followed by any letter(s) and/or number(s)

PFXFP5600TPD#

PFXFP5660TPD May be followed by any letter(s) and/or number(s)

PFXFP5660TPD#

PFXFP5700TPD May be followed by any letter(s) and/or number(s)

PFXFP5700TPD#

GP4200 Series graphic displays Model(s) PFXGP4201TAD*, PFXGP4201TADW*, PFXGP4203TAD*

GP4300 Series graphic displays Model(s) PFXGP4301TAD*, PFXGP4301TADR*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*

GP4400 Series graphic displays Model(s) PFXGP4401TAD*, PFXGP4401TADR*, PFXGP4401WADW*

GP4500 Series graphic displays Model(s) PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADR*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4503TAD*

GP4600 Series graphic displays Model(s) PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADR*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*

Graphic display panels Model(s) 3180053-01, 3180053-02, 3180053-03, 3180053-04, 3180054-02, 3180054-03, 3180054-04, 3180054-05, 3383102-01, 3480301-01

Graphic displays Model(s) 3481401-01, 3481401-02, 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3580207-01, 3580207-02, 3580208-02, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, 3680701-01, 3680701-02, 3680701-03, 3710010-01, 3710010-02

Graphic panels Model(s) 3580206-01, 3710015-01, 3910017-01, 3910017-02, 3910017-03, 3910017-04, 3910017-05, 3910017-06, 3910017-07, 3910017-08, 3910017-11, 3910017-12

Illuminated switch units Model(s) PFXZCCEUSG1

Magelis Series small terminals, for use in Type 4X indoor environment Model(s) PFXGM4201TAD, PFXGM4301TAD

Monochrome graphic panels Model(s) 3280007-03, 3280007-04, 3280007-13, 3280007-14, 3280007-23, 3280007-24, 3280024-32, 3280024-34, 3481701-11, 3481701-12, 3481701-13

Numpad unit Model(s) PFXZCCEUKB1

Open type, Adapter, Model(s) AGP3000H-ADPCOM1

Panel computers Model(s) 3480801--14, 3480801-01, 3480801-02, 3480801-03, 3480801-04, 3480801-11, 3480801-12, 3480801-13, 3480901-01, 3480901-02, 3480901-03, 3480901-04, 3480901-05, 3480901-06, 3480901-07, 3480901-08, 3580301-01, 3580301-02, 3580301-03, 3580301-11, 3580301-12, 3580301-13, 3581702-01, 3581702-03, 3581702-11, 3581702-12, 3581702-13, 3920019-01

Panel displays Model(s) 3710011-01, 3710011-02

Pendant graphic panels Model(s) 3610005-01, 3610005-02, 3610005-03

Profibus interface boards, open type Model(s) 3383202

Programmable controllers, open type Model(s) PFXGM4B01D, PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADAC, PFXLM4301TADAK, PFXLM4301TADDC, PFXLM4301TADDK, PFXLM4B01DAC, PFXLM4B01DAK, PFXLM4B01DDC, PFXLM4B01DDK, PFXXM4200TP, PFXXM4300TP, PFXZXMADSM31, PFXZXMADSM51

Programmable indicators, open type Model(s) 3581902-12, 3581902-33, 3581902-51

Video mix units Model(s) 3610001, 3710008-01, 3710013-01

Investigated to UL 61010-1 and UL 61010-2-201

Accessory Open type Box Unit Model(s) PFXSP5B41#

Accessory Open type CANopen Master unit Model(s) PFXZCHEUCAM1#

Accessory Open type FLEX NETWORK Master Unit Model(s) PFXZCHEUFN1#

Open type, EZ LAN Adapter Model(s) PFXZCGEUUE1

Open type, IoT Gateway Unit Model(s) PFXGP4G01D

Open type, Programmable controllers Model(s) HMIGXU3500#, HMIGXU3512#, HMIGXU5500#, HMIGXU5512#, PFXGP4114T*D#, PFXGP4115T*D#, PFXGP4116T*D#, PFXGP4311KTAD#, PFXGP4402WADW#, PFXGP4502WADW#, PFXGP4511KTAD#, PFXGP4521TAA#, PFXGP4621TAA#, PFXGP4621TAD#, PFXPP2(%), PFXPU2(%)

Pendant Graphic Panel Model(s) PFXGP4311HTAD#, PFXGP4311HTADEGK#, PFXGP4311HTADER#, PFXGP4311HTADERK#, PFXGP4311HTADEYK#

SP5000 series, Human Machine Interface Model(s) PFXSP5700WCD#, PFXSP5800WCD#

Investigated to UL 61010-1, 3rd Edition and UL 61010-2-201, 1st Edition

Open type Box PC and Partial enclosure Display Model(s) PFXPL2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

PFXPP2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

PFXPU2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

Investigated to

Open type, Programmable controllers Model(s) HMIBMPxI74D(g)xxx Where x may be any letter or number and (g) will be any letter or number except 2.

HMIBMPxI74D2xxx Where x may be any letter or number.

HMIBMUxI29D(g)xxx Where x may be any letter or number and (g) will be any letter or number except 2.

HMIBMUxI29D2xxx Where x may be any letter or number.

HMIDADP11, HMIPCCA2 followed by 12 letters or numbers.

HMIPCCP2x(f)xxxxxxxxx Where x may be any letter or number and (f) will be C, D, J or U.

HMIPCCP2x(h)xxxxxxxxx Where x may be any letter or number and (h) will be any letter or number except C, D, J or U.

HMIPCCU2x(f)xxxxxxxxx Where x may be any letter or number and (f) will be C, D, J or U.

HMIPCCU2x(h)xxxxxxxxx Where x may be any letter or number and (h) will be any letter or number except C, D, J or U.

PFXPA2xxxAxxxxxxxx refers to where x may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components

PFXPA2xxxDxxxxxxxx refers to where x may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components

PFXZPPDADDP2xxxxxx refers to where x may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components

Programmable Controllers Model(s) *HMIDT35X# # - Any letter(s) and/or number(s) or blank*

HMIDT65X# # - Any letter(s) and/or number(s) or blank

HMIG3X# # - Any letter(s) and/or number(s) or blank

HMIZXJ19# # - Any letter(s) and/or number(s) or blank

PFXSP5490WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5690WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5B90# # - Any letter(s) and/or number(s) or blank

PFXZCHEUJ1# # - Any letter(s) and/or number(s) or blank

SP5000 Series Accessory Box Unit Model(s) *PFXSP5B00# # - Any letter(s) and/or number(s) or blank*

SP5000 Series Human Machine Interface, "SP5000" Model(s) *PFXSP5600TAD# # - Any letter(s) and/or number(s) or blank*

SP5000 Series Human Machine Interface Model(s) *PFXSP5400WAD# # - Any letter(s) and/or number(s) or blank*

PFXSP5500TPD# # - Any letter(s) and/or number(s) or blank

PFXSP5500WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5600TPD# # - Any letter(s) and/or number(s) or blank

PFXSP5600TPDR# # - Any letter(s) and/or number(s) or blank

PFXSP5600WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5660TPD# # - Any letter(s) and/or number(s) or blank

PFXSP5700TPD# # - Any letter(s) and/or number(s) or blank

Model(s) *HMIG2U# # - Any letter(s) and/or number(s) or blank*

- May be followed by any one to three letter(s) and/or number(s).

(%) - Model followed by 12 letters or numbers

* - May be followed by any letter or number.

xx - Where xx can be replaced by any alphanumeric character.

Last Updated on 2019-01-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

NRAQ7.E220851 - PROGRAMMABLE CONTROLLERS CERTIFIED FOR CANADA

Programmable Controllers Certified for Canada

See General Information for Programmable Controllers Certified for Canada

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

E220851

2-15-6, SHIBAURA

MINATO-KU, TKY 108-0023 JAPAN

Investigated to CAN/CSA C22.2 No. 142

Accessories, 12" LCD front display + keypad units Model(s) 3620003-04

Accessories, 12" LCD front display units Model(s) 3620003-01

Accessories, 15" LCD front display + keypad units Model(s) 3620003-05

Accessories, 15" LCD front display units Model(s) 3620003-02

Accessories, 19" LCD front display units Model(s) 3620003-03

Accessory Box Unit Model(s) PFXSP5B10 *May be followed by any letter(s) and/or number(s)*

PFXSP5B10#

PFXSP5B40 *May be followed by any letter(s) and/or number(s)*

PFXSP5B40#

Accessory CANopen Slave Unit, open type Model(s) PFXZCDEUCA1 *May be followed by any letter(s) and/or number(s)*

PFXZCDEUCA1#

Accessory Multi Display Adapter, open type Model(s) PFXZCDADEXR1 *May be followed by any letter(s) and/or number(s)*

PFXZCDADEXR1#

Accessory CANOpen units Model(s) 3610007-01

Accessory conversion adapters, open-type Model(s) PFXZCBCBCVUSR41

Accessory enclosure kits Model(s) PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCDCVUS1

Accessory Open type Environment Covers Model(s) PFXZCDOP101, PFXZCDOP121, PFXZCDOP151

Accessory Profibus Unit, open type, Model(s) PFXZCDEUPF1 *May be followed by any letter(s) and/or number(s)*

Accessory Profibus Unit, open type, Model(s) PFXZCDEUPF1#

Adapters Model(s) 3610006-01, 3610006-02

Analog I/O modules Model(s) EXM-AMM6HT

Analog input modules Model(s) EXM-AMI4LT, EXM-ARI8LT, EXM-AVO2HT

Box computers Model(s) 3681601-01, 3681601-03, 3681601-11, 3681601-12, 3681601-13

Built-in computers, open type Model(s) 3582302-01, 3582302-11

CAN units Model(s) 3710014-01

CC-link interface units Model(s) 3680301

Color graphic panel displays Model(s) 3280024-02, 3280024-04, 3280024-06, 3280024-12, 3280024-14, 3280024-16, 3280024-22, 3280024-24, 3280035-01, 3280035-02, 3280035-11, 3280035-12, 3280035-31, 3280035-41, 3280035-51, 3280035-71, 3384001-12, 3482001-41, 3482001-42, 3482001-45, 3482001-51, 3482001-52, 3482001-55, 3482001-61, 3482001-65, 3482001-75, 3581301-02,

3581301-04, 3910018-01

Color graphic panels Model(s) 3280007-01, 3280007-02, 3280007-11, 3280007-12, 3280007-21, 3280007-22, 3410004-01, 3481701-22, 3481701-33

Compact iPCs-P4 Model(s) 3180046-xx

Compact iPCs-Via Eden Model(s) 3280015-xx

Compact iPCs-Via Eden Slim Type Model(s) 3280022-xx

Controllers Model(s) 3180048-01, 3180048-02

Data converters Model(s) 3080034-01

DC Power Supply Adapter, open type Model(s) PFXZCDAEXP1 May be followed by any letter(s) and/or number(s)

PFXZCDAEXP1#

DeviceNet interface units Model(s) 3580801

Display units Model(s) 3180040-01

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTAD may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADEGK may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADER may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADERK may be followed by any one to three letter(s) and/or number(s)

PFXGP4311HTADEYK may be followed by any one to three letter(s) and/or number(s)

Flat panel displays Model(s) 3580403-02, 3580404-02, 3580406-01, 3580406-11, 3582701-01

Flat panel displays with keypads, open-type Model(s) 3620004-01

Flex network I/O units Model(s) 3080039-01, 3080039-02, 3080039-03, 3080057-01, 3080057-02, 3380701-01, 3380701-02

FP5000 Series Flat Panel Interface Model(s) PFXFP5600TPD May be followed by any letter(s) and/or number(s)

PFXFP5600TPD#

PFXFP5660TPD May be followed by any letter(s) and/or number(s)

PFXFP5660TPD#

PFXFP5700TPD May be followed by any letter(s) and/or number(s)

PFXFP5700TPD#

GP4200 Series graphic displays Model(s) PFXGP4201TAD*, PFXGP4201TADW*, PFXGP4203TAD*

GP4300 Series graphic displays Model(s) PFXGP4301TAD*, PFXGP4301TADR*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*

GP4400 Series graphic displays Model(s) PFXGP4401TAD*, PFXGP4401TADR*, PFXGP4401WADW*

GP4500 Series graphic displays Model(s) PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADR*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4503TAD*

GP4600 Series graphic displays Model(s) PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADR*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*

Graphic display panels Model(s) 3180053-01, 3180053-02, 3180053-03, 3180053-04, 3180054-02, 3180054-03, 3180054-04, 3180054-05, 3383102-01, 3480301-01

Graphic displays Model(s) 3481401-01, 3481401-02, 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3580207-01, 3580207-02, 3580208-02, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, 3680701-01, 3680701-02, 3680701-03, 3710010-01, 3710010-02

Graphic panels Model(s) 3580206-01, 3710015-01, 3910017-01, 3910017-02, 3910017-03, 3910017-04, 3910017-05, 3910017-06, 3910017-07, 3910017-08, 3910017-11, 3910017-12

Illuminated switch units Model(s) PFXZCCEUSG1

Magelis Series small terminals, for use in Type 4X indoor environment Model(s) PFXGM4201TAD, PFXGM4301TAD

Monochrome graphic panels Model(s) 3280007-03, 3280007-04, 3280007-13, 3280007-14, 3280007-23, 3280007-24, 3280024-32, 3280024-34, 3481701-11, 3481701-12, 3481701-13

Numpad unit Model(s) PFXZCCEUKB1

Open type, Adapter, Model(s) AGP3000H-ADPCOM1

Panel computers Model(s) 3480801--14, 3480801-01, 3480801-02, 3480801-03, 3480801-04, 3480801-11, 3480801-12, 3480801-13, 3480901-01, 3480901-02, 3480901-03, 3480901-04, 3480901-05, 3480901-06, 3480901-07, 3480901-08, 3580301-01, 3580301-02, 3580301-03, 3580301-11, 3580301-12, 3580301-13, 3581702-01, 3581702-03, 3581702-11, 3581702-12, 3581702-13, 3920019-01

Panel displays Model(s) 3710011-01, 3710011-02

Pendant graphic panels Model(s) 3610005-01, 3610005-02, 3610005-03

Profibus interface boards, open type Model(s) 3383202

Programmable controllers, open type Model(s) PFXGM4B01D, PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADAC, PFXLM4301TADAK, PFXLM4301TADDC, PFXLM4301TADDK, PFXLM4B01DAC, PFXLM4B01DAK, PFXLM4B01DDC, PFXLM4B01DDK, PFXXM4200TP, PFXXM4300TP, PFXZXMADSM31, PFXZXMADSM51

Programmable indicators, open type Model(s) 3581902-12, 3581902-33, 3581902-51

Video mix units Model(s) 3610001, 3710008-01, 3710013-01

Investigated to CAN/CSA C22.2 No. 61010-1, 3rd Edition and CAN/CSA C22.2 No. 61010-2-201:14

Open type Box PC and Partial enclosure Display Model(s) PFXPL2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

PFXPP2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

PFXPU2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

Investigated to CAN/CSA-C22.2 No.61010-1 and CAN/CSA-C22.2 No.61010-2-201

Accessory Open type Box Unit Model(s) PFXSP5B41#

Accessory Open type CANopen Master unit Model(s) PFXZCHEUCAM1#

Accessory Open type FLEX NETWORK Master Unit Model(s) PFXZCHEUFN1#

Open type, EZ LAN Adapter Model(s) PFXZCGEUUE1

Open type, IoT Gateway Unit Model(s) PFXGP4G01D

Open type, Programmable controllers Model(s) HMIGXU3500#, HMIGXU3512#, HMIGXU5500#, HMIGXU5512#, PFXGP4114T*D#, PFXGP4115T*D#, PFXGP4116T*D#, PFXGP4311KTAD#, PFXGP4402WADW#, PFXGP4502WADW#, PFXGP4511KTAD#, PFXGP4521TAA#, PFXGP4621TAA#, PFXGP4621TAD#, PFXPP2(%), PFXPU2(%)

Pendant Graphic Panel Model(s) PFXGP4311HTAD#, PFXGP4311HTADEGK#, PFXGP4311HTADER#, PFXGP4311HTADERK#, PFXGP4311HTADEYK#

SP5000 series, Human Machine Interface Model(s) PFXSP5700WCD#, PFXSP5800WCD#

Investigated to

Open type, Programmable controllers Model(s) HMIBMPxI74D(g)xxx Where x may be any letter or number and (g) will be any letter or number except 2.

HMIBMPxI74D2xxx Where x may be any letter or number.

HMIBMUxI29D(g)xxx Where x may be any letter or number and (g) will be any letter or number except 2.

HMIBMUxI29D2xxx Where x may be any letter or number.

HMIDADP11, HMIPCCA2 followed by 12 letters or numbers.

HMIPCCP2x(f)xxxxxxxxx Where x may be any letter or number and (f) will be C, D, J or U.

HMIPCCP2x(h)xxxxxxxxx Where x may be any letter or number and (h) will be any letter or number except C, D, J or U.

HMIPCCU2x(f)xxxxxxxxx Where x may be any letter or number and (f) will be C, D, J or U.

HMIPCCU2x(h)xxxxxxxxx Where x may be any letter or number and (h) will be any letter or number except C, D, J or U.

PFXPA2xxxAxxxxxxxx refers to where x may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components

PFXPA2xxxDxxxxxxxx refers to where x may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components

PFXZPPDADDP2xxxxxx refers to where x may be any alphanumeric character, "-" or blank for marketing purpose only, and no impact safety related constructions and critical components

Programmable Controllers Model(s) HMIDT35X# # - Any letter(s) and/or number(s) or blank

HMIDT65X# # - Any letter(s) and/or number(s) or blank

HMIG3X# # - Any letter(s) and/or number(s) or blank

HMIZXJ19# # - Any letter(s) and/or number(s) or blank

PFXSP5490WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5690WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5B90# # - Any letter(s) and/or number(s) or blank

PFXZCHEUJ1# # - Any letter(s) and/or number(s) or blank

SP5000 Series Accessory Box Unit Model(s) PFXSP5B00# # - Any letter(s) and/or number(s) or blank

SP5000 Series Human Machine Interface, "SP5000" Model(s) PFXSP5600TAD# # - Any letter(s) and/or number(s) or blank

SP5000 Series Human Machine Interface Model(s) PFXSP5400WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5500TPD# # - Any letter(s) and/or number(s) or blank

PFXSP5500WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5600TPD# # - Any letter(s) and/or number(s) or blank

PFXSP5600TPDR# # - Any letter(s) and/or number(s) or blank

PFXSP5600WAD# # - Any letter(s) and/or number(s) or blank

PFXSP5660TPD# # - Any letter(s) and/or number(s) or blank

PFXSP5700TPD# # - Any letter(s) and/or number(s) or blank

Model(s) HMIG2U# # - Any letter(s) and/or number(s) or blank

- May be followed by any one to three letter(s) and/or number(s).

(%) - Model followed by 12 letters or numbers

* - May be followed by any letter or number.

xx - Where xx can be replaced by any alphanumeric character.

Trademark and/or Tradename:   

Last Updated on 2019-01-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"