UL Product iO®



Programmable Controllers Certified for Canada

COMPANY

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

2-15-6. SHIBAURA MINATO-KU, Tokyo 108-0023 Japan

E220851

Trademark and/or Tradename: "E486184"





Note: For additional marking information, refer to the Guide Information Page.

View model for additional information

Model(s): 3080039-01, 3080039-02, 3080057-01, 3080057-02, 3180048-02, 3180053-01, 3180053-02, 3180053-03, 3180053-04, 3180054-02, 3180054-03, 3180054-04, 3280007-01, 3280007-02, 3280007-03, 3280007-04, 3280007-11, 3280007-12, 3280007-13, 3280007-14, 3280007-21, 3280007-22, 3280007-23, 3280007-24, 3280015-xx, 3280024-02, 3280024-04, <u>3280024-06, 3280024-14, 3280024-16, 3280024-22, 3280024-24, 3280024-32, 3280024-34, 3280035-01, 3280035-11, 3280035-12, 3280035-31, 3280035-41, 3280035-51, 3280035-51, 3280035-71, 3280035-71, 3280035-12, 3280035-31, 32800</u> 3380701-01, 3383102-01, 3383202, 3384001-12, 3410004-01, 3480801-02, 3480801-03, 3480801-04, 3480801-11, 3480801-12, 3480801--14, 3480901-01, 3480901-02, 3480901-03, <u>3480901-04, 3480901-05, 3480901-07, 3480901-08, 3481401-02, 3481701-11, 3481701-13, 3481701-22, 3481701-33, 3482001-41, 3482001-42, 3482001-45, 3482001-51, 3482001-55, </u> 3482001-61, 3482001-65, 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3580207-01, 3580301-01, 3580301-02, 3580301-12, 3580301-13, 3580404-02, 3580406-01, 3580406-11, 3580801, 3581301-04, 3581702-01, 3581702-11, 3581702-13, 3581902-12, 3581902-33, 3582302-01, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-04, 3583401-11, 3583401-13, <u>3583401-14, 3610001, 3610005-01, 3610005-02, 3610005-03, 3610006-01, 3610006-02, 3620003-01, 3620003-03, 3620003-04, 3620003-05, 3680301, 3680701-01, 3680701-02, 3681601-</u> 01, 3681601-03, 3681601-11, 3681601-12, 3681601-13, 3710010-01, 3710010-02, 3710011-01, 3710011-02, 3710013-01, 3710015-01, 3910017-01, 3910017-02, 3910017-03, 3910017-04, 3910017-05, 3910017-06, 3910017-07, 3910017-08, 3910017-11, 3910017-12, 3910018-01, HMIGTO1300, HMIGTO1310, HMIGTO2300, HMIGTO2310, HMIGTO2315, HMIGTO3510, HMIGTO4310, HMIGTO5310, HMIGTO5315, HMIGTO6310, HMIGTO6315, HMIGXU3500#, HMIGXU3512#, HMIGXU5500#, HMISTO511, HMISTO512, HMISTO531, HMISTO531, HMISTO532, HMIZDCOV5, HMIZDCOV6, HMIZDCOV7, HMIZECOV1, HMIZECOV2, HMIZECOV4, HMIZECOV5, HMIZECOV6, PFXGP4114T*D#, PFXGP4115T*D#, PFXGP4116T*D#, PFXGP4201TAD*, PFXGP4203TAD*, PFXGP4301TAD*, PFXGP4301TADR*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*, PFXGP4311KTAD#, PFXGP4401TAD*, PFXGP4401TADR*, PFXGP4401WADW*, PFXGP4402WADW#, PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADR*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4502WADW#, PFXGP4503TAD*, PFXGP4511KTAD#, PFXGP4521TAD#, PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADR*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*, PFXGP4601TADR*, PFXGP4601TMD*, PFXGP4603TAD*, PF PFXGP4621TAA#, PFXGP4621TAD#, PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCCEUKB1 and HMIZKB1, PFXZCDOP101, PFXZCDOP121, PFXZCDOP151, XBTGC2330T, XBTGC2330U, XBTGH2460B, XBTZGCAN, XBTZGCCAN, XBTZGJBOX

Model(s): HMIDID64DTD1, may be followed by any letter(s) and/or number(s).

Model(s): HMIDID73DTD1, may be followed by any letter(s) and/or number(s).

- Model(s): <u>HMIDM6500WC#</u> # Any letter(s) and/or number(s) or Blank
- Model(s): <u>HMIDM6600TM#</u> # Any letter(s) and/or number(s) or Blank
- Model(s): <u>HMIDM6600WC#</u> # Any letter(s) and/or number(s) or Blank
- Model(s): HMIDM6700TM# # Any letter(s) and/or number(s) or Blank
- Model(s): <u>HMIDM6800WC#</u> # Any letter(s) and/or number(s) or Blank
- Model(s): <u>HMIDM6900WC#</u> # Any letter(s) and/or number(s) or Blank
- Model(s): <u>HMIDT35X#</u> # Any letter(s) and/or number(s) or blank
- Model(s): HMIDT65X# # Any letter(s) and/or number(s) or blank
- Model(s): HMIDT75X# # Any letter(s) and/or number(s) or blank
- Model(s): HMIG3U, may be followed by any letter(s) and/or number(s).
- Model(s): HMIG3X# # Any letter(s) and/or number(s) or blank
- Model(s): HMIG5U, may be followed by any letter(s) and/or number(s).
- Model(s): HMIGCAN, may be followed by any letter(s) and/or number(s).
- Model(s): HMIGK2310# # w/wo any one to three letter(s) and/or number(s).
- Model(s): HMIGK5310# # w/wo any one to three letter(s) and/or number(s).
- Model(s): HMIST6200# #: May be followed by one to three alphanumeric characters
- Model(s): HMIST6400# #: May be followed by one to three alphanumeric characters
- Model(s): HMIST6500# #: May be followed by one to three alphanumeric characters
- Model(s): HMIST6600# #: May be followed by one to three alphanumeric characters
- Model(s): HMIST6700# #: May be followed by one to three alphanumeric characters
- Model(s): HMISTO705# #- may be followed by any one to three letter(s) and/or number(s)
- Model(s): HMISTO715# #- may be followed by any one to three letter(s) and/or number(s)

Model(s): HMISTO735# #- may be followed by any one to three letter(s) and/or number(s)

Model(s): HMISTW6200# #: May be followed by one to three alphanumeric characters

Model(s): HMISTW6400# #: May be followed by one to three alphanumeric characters

Model(s): HMISTW6500# #: May be followed by one to three alphanumeric characters

Model(s): <u>HMISTW6600#</u> #: May be followed by one to three alphanumeric characters

Model(s): <u>HMISTW6700#</u> #: May be followed by one to three alphanumeric characters

Model(s): <u>HMIZGPDP</u>, my be followed by any letter(s) and/or number(s).

Model(s): HMIZMDAEX, may be followed by any letter(s) and/or number(s).

Model(s): <u>HMIZMDARX</u>, may be followed by any letter(s) and/or number(s).

Model(s): HMIZXJ19# # - Any letter(s) and/or number(s) or blank

Model(s): PFXDM6500WC# # - Any letter(s) and/or number(s) or Blank

Model(s): PFXDM6600TM# # - Any letter(s) and/or number(s) or Blank

Model(s): PFXDM6600WC# # - Any letter(s) and/or number(s) or Blank

Model(s): PFXDM6700TM# # - Any letter(s) and/or number(s) or Blank

Model(s): PFXDM6700WC# # - Any letter(s) and/or number(s) or Blank

Model(s): PFXDM6800WC# # – Any letter(s) and/or number(s) or Blank

Model(s): PFXDM6900WC# # - Any letter(s) and/or number(s) or Blank

Model(s): PFXFP5600TPD May be followed by any letter(s) and/or number(s)

Model(s): PFXFP5660TPD May be followed by any letter(s) and/or number(s)

Model(s): PFXFP5700TPD May be followed by any letter(s) and/or number(s)

Model(s): PFXGP4621UAD# # - w/wo any one to three letter(s) and/or number(s).

Model(s): PFXSP5490WAD# # - Any letter(s) and/or number(s) or blank

Model(s): PFXSP5690WAD# # - Any letter(s) and/or number(s) or blank

Model(s): PFXSP5B90# # - Any letter(s) and/or number(s) or blank

Model(s): PFXST6200WAD# #: May be followed by one to three alphanumeric characters

Model(s): PFXST6400WAD# #: May be followed by one to three alphanumeric characters

Model(s): <u>PFXST6500WAD#</u> #: May be followed by one to three alphanumeric characters

Model(s): <u>PFXST6600WAD#</u> #: May be followed by one to three alphanumeric characters

Model(s): PFXST6700WAD# #: May be followed by one to three alphanumeric characters

Model(s): PFXSTW6200WAD# #: May be followed by one to three alphanumeric characters

Model(s): PFXSTW6400WAD# #: May be followed by one to three alphanumeric characters

Model(s): PFXSTW6500WAD# #: May be followed by one to three alphanumeric characters

Model(s): <u>PFXSTW6600WAD#</u> #: May be followed by one to three alphanumeric characters

Model(s): PFXSTW6700WAD# #: May be followed by one to three alphanumeric characters

Model(s): PFXZCDADEXP1 May be followed by any letter(s) and/or number(s)

Model(s): PFXZCDADEXR1 May be followed by any letter(s) and/or number(s)

Model(s): PFXZCDEUCA1 May be followed by any letter(s) and/or number(s)

Model(s): PFXZCDEUPF1 May be followed by any letter(s) and/or number(s)

Model(s): PFXZCHEUJ1# # - Any letter(s) and/or number(s) or blank

Accessories, 15" LCD front display units, Model(s): 3620003-02

Accessory CANOpen units, Model(s): 3610007-01

Accessory conversion adapters, open-type, Model(s): PFXZCBCBCVUSR41

Accessory enclosure kits, Model(s): PFXZCDCVUS1

Adapter, Model(s): XBTGH2460

Analog input modules, Model(s): EXM-AMI4LT, EXM-AMI4LT, EXM-ARI8LT, EXM-ARI8LT, EXM-AVO2HT, EXM-AVO2HT

Analog input-output modules, Model(s): EXM-AMM6HT, EXM-AMM6HT

Built-in computers, open type, Model(s): 3582302-11

CAN units, Model(s): 3710014-01

Color graphic panel displays, Model(s): 3280024-12, 3280035-02, 3482001-52, 3482001-75, 3581301-02

Compact iPCs-P4, Model(s): 3180046-xx

Compact iPCs-Via Eden Slim Type, Model(s): 3280022-xx

Controllers, Model(s): 3180048-01

Data converters, Model(s): 3080034-01

Display units, Model(s): 3180040-01

Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTAD may be followed by any letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTADEGK may be followed by any letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTADER may be followed by any letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTADERK may be followed by any letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel, Model(s): PFXGP4311HTADEYK may be followed by any letter(s) and/or number(s)

Flat Panel display, Model(s): HMIDID7DT0

Flat panel displays, Model(s): <u>3580403-02</u>, <u>3582701-01</u>

Flat panel displays with keypads, open-type, Model(s): 3620004-01

Flex network I/O units, Model(s): <u>3080039-03</u>, <u>3380701-02</u>

GP4200 Series graphic displays, Model(s): PFXGP4201TADW*

Graphic display panels, Model(s): <u>3180054-05</u>, <u>3480301-01</u>

Graphic displays, Model(s): 3481401-01, 3580207-02, 3580208-02, 3583401-12, 3680701-03

Graphic Panel, Model(s): HMISTO501, XBTGT2930

Graphic panels, Model(s): 3580206-01

Illuminated switch units, Model(s): PFXZCCEUSG1 and HMIZRA1

Industrial Box Computer, Model(s): HMIBX1A0N# Where #: Any letter(s) and/or number(s) or blank

Industrial Controller, Box type, Model(s): Box type, Advanced type, model PFXP6 or HMIP6 followed by 5, 7 or C, followed by B, followed by A or D, followed by E, M, P or 0, followed by F or N (Note\$), followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by # Note \$ - Should be followed by F for models with HDD for Storage and/or with Accessory Optional Interface for EtherCAT, Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller, Box type, Model(s): Box type, Standard type, model PFXP6 or HMIP6 followed by 3, followed by B, followed by 1 or 2, followed by 0, followed by N, followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller, Panel type, Model(s): Panel type, Advanced type, model PFXP6 or HMIP6 followed by 5, 7 or C, followed by 6, 7, E, F, G, A followed by A or D, followed by E, M, P or 0, followed by F or N (Note\$), followed by one digit number of 0 to 8, followed by one digit number of 5 through 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note \$ - Should be followed by F for models with HDD for Storage and/or with Accessory Optional Interface for EtherCAT, Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller, Panel type, Model(s): Panel type, model PFXP6 or HMIP6, followed by A, B or D, followed by 6, 7, D, E, F, G or A, followed by B, followed by 0, followed by N, followed by N, H, J or K, followed by @, followed by #. Note @ – Any alphanumeric. Note # - Any letter(s) and/or number(s) or Blank

Industrial Controller, Panel type, Model(s): Panel type, Standard type, model PFXP6 or HMIP6 followed by 3, followed by 6, 7, D, E, F, G, A, followed by 1 or 2, followed by 0, followed by N, followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note @ – Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller, Box type, Model(s): Box type, model PFXP6 or HMIP6, followed by A, B or D, followed by B, followed by B, followed by O, followed by N, followed by O, A, 2, 3 or 4, followed by O, 1, 2, 3, 4 or S, followed by @, followed by @, followed by @, followed by #. Note @ – Any alphanumeric Note # - Any letter(s) and/or number(s) or Blank

Monochrome graphic panels, Model(s): 3481701-12

Open type, Adapter, Model(s): AGP3000H-ADPCOM1

Open type, EZ LAN Adapter, Model(s): PFXZCGEUUE1

Open type, IoT Gateway Unit, Model(s): PFXGP4G01D

Open type, Programmable controllers, Model(s): <u>HMIBMPxi74D(g)xxx</u>, <u>HMIBMPxi74D(g)xxx</u>, <u>HMIBMDxi29D(g)xxx</u>, <a href="https://document.com/html/miss-superscript-12"

Panel computers, Model(s): 3480801-01, 3480801-13, 3480901-06, 3580301-03, 3580301-11, 3581702-03, 3581702-12, 3920019-01

Panel Display, Model(s): XBTGT2430

Pendant Graphic Panel, Model(s): PFXGP4311HTAD#, PFXGP4311HTADEGK#, PFXGP4311HTADER#, PFXGP4311HTADERK#, PFXGP4311HTADEYK#

Profibus Interface Board, Model(s): XBTZGPDP

Programmable Controllers, Model(s): 4230020 followed by -01 to -12, PFXGM4201TAD, PFXGM4301TAD, PFXGM4801D, PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADDK, PFXLM4301TADDK, PFXLM4801DAC, PFXLM4801DAK, PFXLM4801DDC, PFXLM4801DDK, PFXST6300TADE, PFXST6300TADE, PFXSTC6300TADDCE, PFXSTC6300TADDKE, PFXSTC6300TADCCA

Programmable Controllers, Model(s): HMI may be followed by -SCU6A5, -SCU6A5, -SCU6B5, -SCU6B5, -SAC and -SBC, may be followed by a three-digit number.

Programmable Controllers, Model(s): HMIDM6700WC# # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): HMIFP6500WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): HMIFP6600TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): HMIFP6600WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): HMIFP6700TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): HMIFP6700WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): HMIFP6800WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): <u>HMIFP6900WCD#</u> Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXET6 and HMIET6 series PFXET6400WAD,may be followed by one to three alphanumeric characters. PFXET6500WAD,may be followed by one to three alphanumeric characters. PFXET6600WAD,may be followed by one to three alphanumeric characters. HMIET6401,may be followed by one to three alphanumeric characters. HMIET6401,may be followed by one to three alphanumeric characters. HMIET6400,may be followed by one to three alphanumeric characters. HMIET6500,may be followed by one to three alphanumeric characters. HMIET6500,may be followed by one to three alphanumeric characters. HMIET6700,may be followed by one to three alphanumeric characters.

Programmable Controllers, Model(s): PFXFP6500WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6600TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6600WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6700TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6700WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXFP6800WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFKFP6900WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers, Model(s): PFXSP5790WAD# # - Any letter(s) and/or number(s) or blank

Programmable Controllers, "Accessories, extension communication cables", Model(s): HMI-ZSURDP may be followed by 5

Programmable Controllers, "Communication cables", Model(s): HMIZ followed by 3 to 5 letters and digits

Programmable Controllers, "Communication cables", Model(s): XBTZ followed by 3 to 5 letters and digits.

Programmable Controllers, "Schneider or Proface", Model(s): <u>HMISTM6200# or PFXSTM6200WAD#</u>, <u>HMISTM6400# or PFXSTM6400WAD#</u>, <u>HMIZM6DSA# or PFXZCM6SM3#</u>, <u>HMIZM6RDP10# or PFXZCM6SM10#</u>, <u>HMIZM6RDP3# or PFXZCIWG74#</u>, <u>HMIZS53W2# or PFXZCIWG74#</u>

Programmable Controllers, "Schneider or Proface", Model(s): HMISTM62# or PFXSTM62TP# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Schneider or Proface", Model(s): HMISTM64# or PFXSTM64TP# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Schneider or Proface", Model(s): HMISTM6B# or PFXSTM6B# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Schneider or Proface", Model(s): HMISTM6BOX# or PFXSTM6B00D# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers, "Small Terminal Series Magelis", Model(s): <u>BCPMRD</u> may be followed by three alphanumeric digits

Programmable Controllers, "Small Terminal Series Magelis", Model(s): HMI followed by -STU655, -STU855, -S65, -S85 or -S5T, may be followed by a three-digit number

Programmable Controllers, "Small Terminal Series Magelis", Model(s): LV434128 may be followed by three alphanumeric digits.

Programmable Controllers, "Small Terminal Series Magelis", Model(s): M765RD may be followed by three alphanumeric digits.

Programmable Controllers, "Small Terminal Series Magelis", Model(s): <u>S765RD</u> may be followed by three alphanumeric digits

Programmable indicators, open type, Model(s): 3581902-51

Video mix units, Model(s): 3710008-01

^{# -} May be followed by any one to three letter(s) and/or number(s).

^{(%) -} Model followed by 12 letters or numbers

^{* -} May be followed by any letter or number.

xx - Where xx can be replaced by any alphanumeric character.

Last Updated on 2023-12-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."